

Very Preterm Infant Nutrition: Parenteral vs Enteral

Bibliography

- Arslanoglu S, Boquien CY, King C, et al. Fortification of Human Milk for Preterm Infants: Update and Recommendations of the European Milk Bank Association (EMBA) Working Group on Human Milk Fortification. *Front Pediatr*. 2019;7:76. doi:10.3389/fped.2019.00076
- Bertino E, Giuliani F, Occhi L, et al. Benefits of donor human milk for preterm infants: Current evidence. *Early Hum Dev*. 2009 Oct;85(10 Suppl):S9-S10. doi:10.1016/j.earlhumdev.2009.08.010
- Bhatia P, Johnson KJ, Bell EF. Variability of abdominal circumference of premature infants. *J Pediatr Surg*. 1990;25(5):543-544. doi:10.1016/0022-3468(90)90569-u
- Bonsante F, Iacobelli S, Latorre G, et al. Initial amino acid intake influences phosphorus and calcium homeostasis in preterm infants--it is time to change the composition of the early parenteral nutrition. *PLoS One*. 2013;8(8):e72880. doi:10.1371/journal.pone.0072880
- Casavant SG, Judge M, McGrath J. Influence of anthropometric parameters on breastmilk provision in preterm infants. *Appl Nurs Res*. 2017;38:45-50. doi:10.1016/j.apnr.2017.09.007
- Dongming L, Fengran Z, Zhaojun Z. The study of early intravenous nutrition therapy in very low birth weight infants. *Pak J Pharm Sci*. 2016; 29(6 suppl): 2293-2295.
- Fewtrell MS, Kennedy K, Ahluwalia JS, Nicholl R, Lucas A, Burton P. Predictors of expressed breast milk volume in mothers expressing milk for their preterm infant. *Arch Dis Child Fetal Neonatal Ed*. 2016;101(6):F502-F506. doi:10.1136/archdischild-2015-308321
- Ford SL, Lohmann P, Preidis GA, et al. Improved feeding tolerance and growth are linked to increased gut microbial community diversity in very-low-birth-weight infants fed mother's own milk compared with donor breast milk. *Am J Clin Nutr*. 2019;109(4):1088-1097. doi:10.1093/ajcn/nqz006
- Furman L, Minich N, Hack M. Correlates of lactation in mothers of very low birth weight infants. *Pediatrics*. 2002;109(4):e57. doi:10.1542/peds.109.4.e57
- Goldberg DL, Becker PJ, Brigham K, et al. Identifying Malnutrition in Preterm and Neonatal Populations: Recommended Indicators. *J Acad Nutr Diet*. 2018;118(9):1571-1582. doi:10.1016/j.jand.2017.10.006
- Hallowell SG, Rogowski JA, Spatz DL, Hanlon AL, Kenny M, Lake ET. Factors associated with infant feeding of human milk at discharge from neonatal intensive care: Cross-sectional analysis of nurse survey and infant outcomes data. *Int J Nurs Stud*. 2016;53:190-203. doi:10.1016/j.ijnurstu.2015.09.016
- Hamilton E, Massey C, Ross J, Taylor S. Early enteral feeding in very low birth weight infants. *Early Hum Dev*. 2014;90(5):227-30. doi:10.1016/j.earlhumdev.2014.02.005
- Heimler R, Bamberger JM, Sasidharan P. The effects of early parenteral amino acids on sick premature infants. *Indian J Pediatr*. 2010; 77(12):1395-1399. doi:10.1007/s12098-010-0187-x
- Johnson DB, Cheney C, Monsen ER. Nutrition and feeding in infants with bronchopulmonary dysplasia after initial hospital discharge: risk factors for growth failure. *J Am Diet Assoc*. 1998;98(6):649-656. doi:10.1016/S0002-8223(98)00149-7
- Kumbhare SV, Jones WD, Fast S, et al. Source of human milk (mother or donor) is more important than fortifier type (human or bovine) in shaping the preterm infant microbiome. *Cell Rep Med*. 2022;3(9):100712. doi:10.1016/j.xcrm.2022.100712
- Maffei D, Schanler RJ. Human milk is the feeding strategy to prevent necrotizing enterocolitis! *Semin Perinatol*. 2017;41(1):36-40. doi:10.1053/j.semperi.2016.09.016
- Meinzen-Derr J, Poindexter B, Wrage L, Morrow AL, Stoll B, Donovan EF. Role of human milk in extremely low birth weight infants' risk of necrotizing enterocolitis or death. *J Perinatol*. 2009;29(1):57-62. doi:10.1038/jp.2008.117
- Miller J, Tonkin E, Damarell RA, et al. A Systematic Review and Meta-Analysis of Human Milk Feeding and Morbidity in Very Low Birth Weight Infants. *Nutrients*. 2018;10(6):707. doi:10.3390/nu10060707

Very Preterm Infant Nutrition: Parenteral vs Enteral

- Miller M, Vaidya R, Rastogi D, Bhutada A, Rastogi S. From parenteral to enteral nutrition: a nutrition-based approach for evaluating postnatal growth failure in preterm infants. *JPEN J Parenter Enteral Nutr.* 2014;38(4):489-497. doi:10.1177/0148607113487926
- Moltu SJ, Strømme K, Blakstad EW, et al. Enhanced feeding in very-low-birth-weight infants may cause electrolyte disturbances and septicemia—a randomized, controlled trial. *Clin Nutr.* 2013;32(2):207-212. doi:10.1016/j.clnu.2012.09.004
- Morton J, Hall JY, Wong RJ, Thairu L, Benitz WE, Rhine WD. Combining hand techniques with electric pumping increases milk production in mothers of preterm infants. *J Perinatol.* 2009;29(11):757-764. doi:10.1038/jp.2009.87
- Parker LA, Sullivan S, Kruger C, Mueller M. Timing of milk expression following delivery in mothers delivering preterm very low birth weight infants: a randomized trial. *J Perinatol.* 2020;40(8):1236-1245. doi:10.1038/s41372-020-0688-z
- Pelegano JF, Rowe JC, Carey DE, et al. Effect of calcium/phosphorus ratio on mineral retention in parenterally fed premature infants. *J Pediatr Gastroenterol Nutr.* 1991;12(3):351-355. doi:10.1097/00005176-199104000-00011
- Prestridge LL, Schanler RJ, Shulman RJ, Burns PA, Laine LL. Effect of parenteral calcium and phosphorus therapy on mineral retention and bone mineral content in very low birth weight infants. *J Pediatr.* 1993;122(5 Pt 1):761-768. doi:10.1016/s0022-3476(06)80023-5
- Quigley M, Embleton ND, McGuire W. Formula versus donor breast milk for feeding preterm or low birth weight infants. *Cochrane Database Syst Rev.* 2019;7(7):CD002971. doi:10.1002/14651858.CD002971.pub5
- Robinson DT, Calkins KL, Chen Y, et al. Guidelines for parenteral nutrition in preterm infants: The American Society for Parenteral and Enteral Nutrition. *JPEN J Parenter Enteral Nutr.* 2023;47(7):830-858. doi:10.1002/jpen.2550
- Rochow N, Raja P, Liu K, Fenton T, et al. Physiological adjustment to postnatal growth trajectories in healthy preterm infants. *Pediatr Res.* 2016;79(6):870-879. doi:10.1038/pr.2016.15
- Taylor SN. Calcium, Magnesium, Phosphorus, and Vitamin D. In: Koletzko B, Cheah FC, Domellöf M, Poindexter BB, Vain N, van Goudoever JB, eds. *Nutritional Care of Preterm Infants: Scientific Basis and Practical Guidelines*, 2nd Ed. S. Krager AG. 2021;122:122-139. doi.org/10.1159/000514742
- te Braake FWJ, van den Akker CHP, Wattimena DJL, Huijmans JGM, van Goudoever JB. Amino acid administration to premature infants directly after birth. *J Pediatr.* 2005; 147(4): 457-461. doi:10.1016/j.jpeds.2005.05.038
- Trotter A, Pohlandt F. Calcium and phosphorus retention in extremely preterm infants supplemented individually. *Acta Paediatr.* 2002;91(6):680-683. doi:10.1080/080352502760069115
- van Goudoever JB, Carnielli V, Darmaun D, Sainz de Pipaon M; ESPGHAN/ESPEN/ESPR/CSPEN working group on pediatric parenteral nutrition. ESPGHAN/ESPEN/ESPR/CSPEN guidelines on pediatric parenteral nutrition: Amino acids. *Clin Nutr.* 2018;37(6 Pt B):2315-2323. doi:10.1016/j.clnu.2018.06.945
- Weeks CL, Marino LV, Johnson MJ. A systematic review of the definitions and prevalence of feeding intolerance in preterm infants. *Clin Nutr.* 2021;40(11):5576-5586. doi:10.1016/j.clnu.2021.09.010

