

Approaches to Growth Faltering

Bibliography

- Berry MA, Abrahamowicz M, Usher RH. Factors associated with growth of extremely premature infants during initial hospitalization. *Pediatrics*. 1997;100(4):640-646.
- Belfort MB, Kuban KCK, O'Shea TM, et al; Extremely Low Gestational Age Newborn (ELGAN) Study Investigators. Weight status in the first 2 years of life and neurodevelopmental impairment in extremely low gestational age newborns. *J Pediatr*. 2016 Jan;168:30-35.e2. doi:10.1016/j.jpeds.2015.09.036
- Beune IM, Bloomfield FH, Ganzevoort W, et al. Consensus based definition of growth restriction in the newborn. *J Pediatr*. 2018;196:71-76.e1. doi:10.1016/j.jpeds.2017.12.059
- Butterworth SA, Lalari V, Dheensaw K. Evaluation of sodium deficit in infants undergoing intestinal surgery. *J Pediatr Surg*. 2014;49(5):736-740. doi:10.1016/j.jpedsurg.2014.02.057
- Carnielli VP, Correani A, Giretti I, et al. Practice of parenteral nutrition in preterm infants. *World Rev Nutr Diet*. 2021;122:198-211. doi:10.1159/000514751
- Chou JH, Roumiantsev S, Singh R. PediTools electronic growth chart calculators: Applications in clinical care, research, and quality improvement. *J Med Internet Res*. 2020 Jan 30;22(1):e16204. doi:10.2196/16204
- Cole TJ, Statnikov Y, Santhakumaran S, Pan H, Modi N; Neonatal Data Analysis Unit and the Preterm Growth Investigator Group. Birth weight and longitudinal growth in infants born below 32 weeks' gestation: a UK population study. *Arch Dis Child Fetal Neonatal Ed*. 2014;99(1):F34-40. doi:10.1136/archdischild-2012-303536
- Denne SC, Karn CA, Ahlrichs JA, Dorotheo AR, Wang J, Liechty EA. Proteolysis and phenylalanine hydroxylation in response to parenteral nutrition in extremely premature and normal newborns. *J Clin Invest*. 1996;97(3):746-754. doi:10.1172/JCI118473
- Dorling J, Abbott J, Berrington J, et al; SIFT Investigators Group. Controlled trial of two incremental milk-feeding rates in preterm infants. *N Engl J Med*. 2019;381(15):1434-1443. doi:10.1056/NEJMoa1816654
- Fenton TR, Cormack B, Goldberg D, et al. "Extrauterine growth restriction" and "postnatal growth failure" are misnomers for preterm infants. *J Perinatol*. 2020;40(5):704-714. doi:10.1038/s41372-020-0658-5
- Fu TT, Schroder PE, Poindexter BB. Macronutrient analysis of target-pooled donor breast milk and corresponding growth in very low birth weight infants. *Nutrients*. 2019;11(8):1884. doi:10.3390/nu11081884
- Isemann B, Mueller EW, Narendran V, Akinbi H. Impact of early sodium supplementation on hyponatremia and growth in premature infants: A randomized controlled trial. *JPEN J Parenter Enteral Nutr*. 2016;40(3):342-349. doi:10.1177/0148607114558303
- Koletzko B, Cheah FC, Domellöf M, van Goudoever JB, Poindexter BB, Vain N. *Nutritional Care of Preterm Infants: Scientific Basis and Practical Guidelines*, 2nd ed. *World Rev Nutr Diet*. 2021;122:XIII-XIV. doi:10.1159/000514773
- Koletzko B, Wieczorek S, Domellöf M, Poindexter BB. Defining nutritional needs of preterm infants. *World Rev Nutr Diet*. 2021;122:5-11. doi:10.1159/000514739
- McCallie KR, Lee HC, Mayer O, Cohen RS, Hintz SR, Rhine WD. Improved outcomes with a standardized feeding protocol for very low birth weight infants. *J Perinatol*. 2011;31 Suppl 1:S61-S67. doi:10.1038/jp.2010.185
- Patole SK, de Klerk N. Impact of standardised feeding regimens on incidence of neonatal necrotising enterocolitis: a systematic review and meta-analysis of observational studies. *Arch Dis Child Fetal Neonatal Ed*. 2005;90(2):F147-F151. doi:10.1136/adc.2004.059741
- Poindexter BB, Karn CA, Leitch CA, Liechty EA, Denne SC. Amino acids do not suppress proteolysis in premature neonates. *Am J Physiol Endocrinol Metab*. 2001;281(3):E472-478. doi:10.1152/ajpendo.2001.281.3.E472
- Poindexter BB, Langer JC, Dusick AM, Ehrenkranz RA; National Institute of Child Health and Human Development Neonatal Research Network. Early provision of parenteral amino acids in extremely low birth weight infants: relation to growth and neurodevelopmental outcome. *J Pediatr*. 2006;148(3):300-305. doi:10.1016/j.jpeds.2005.10.038

Approaches to Growth Faltering

Ramel SE, Demerath EW, Gray HL, Younge N, Boys C, Georgieff MK. The relationship of poor linear growth velocity with neonatal illness and two-year neurodevelopment in preterm infants. *Neonatology*. 2012;102(1):19-24. doi:10.1159/000336127

Salas AA, Li P, Parks K, Lal CV, Martin CR, Carlo WA. Early progressive feeding in extremely preterm infants: a randomized trial. *Am J Clin Nutr*. 2018;107(3):365-370. doi:10.1093/ajcn/nqy012

Segar DE, Segar EK, Harshman LA, Dagle JM, Carlson SJ, Segar JL. Physiological approach to sodium supplementation in preterm infants. *Am J Perinatol*. 2018;35(10):994-1000. doi:10.1055/s-0038-1632366

Stephens BE, Walden RV, Gargus RA, et al. First-week protein and energy intakes are associated with 18-month developmental outcomes in extremely low birth weight infants. *Pediatrics*. 2009;123(5):1337-1343. doi:10.1542/peds.2008-0211

Travers CP, Wang T, Salas AA, et al. Higher- or usual-volume feedings in infants born very preterm: A randomized clinical trial. *J Pediatr*. 2020;224:66-71.e1. doi:10.1016/j.jpeds.2020.05.033

Tyson JE, Kennedy KA. Trophic feedings for parenterally fed infants. *Cochrane Database Syst Rev*. 2005;(3):CD000504. doi:10.1002/14651858.CD000504.pub2 Update in: *Cochrane Database Syst Rev*. 2009;(3):CD000504.



ANNENBERG CENTER FOR HEALTH SCIENCES
AT EISENHOWER
Imparting knowledge. Improving patient care.

This activity is supported by an educational grant from **Mead Johnson Nutrition**.