

Lactoferrin Clinical Pearls

Suggested Readings and Resources

- Buccigrossi V, de Marco G, Bruzzese E, et al. Lactoferrin induces concentration-dependent functional modulation of intestinal proliferation and differentiation. *Pediatr Res*. 2007;61(4):410-414. doi:10.1203/pdr.0b013e3180332c8d
- Campione E, Cosio T, Rosa L, et al. Lactoferrin as Protective Natural Barrier of Respiratory and Intestinal Mucosa against Coronavirus Infection and Inflammation. *Int J Mol Sci*. 2020;21(14):4903. doi:10.3390/ijms21144903
- **ELFIN trial** investigators group. Enteral lactoferrin supplementation for very preterm infants: a randomised placebo-controlled trial. *Lancet*. 2019;393(10170):423-433. doi:10.1016/S0140-6736(18)32221-9
- Manzoni P, Meyer M, Stolfi I, et al. Bovine lactoferrin supplementation for prevention of necrotizing enterocolitis in very-low-birth-weight neonates: a randomized clinical trial. *Early Hum Dev*. 2014;90 Suppl 1:S60-5. doi:10.1016/S0378-3782(14)70020-9. PMID: 24709463.
- Manzoni P, Militello MA, Rizzollo S, et al. Is Lactoferrin More Effective in Reducing Late-Onset Sepsis in Preterm Neonates Fed Formula Than in Those Receiving Mother's Own Milk? Secondary Analyses of Two Multicenter Randomized Controlled Trials. *Am J Perinatol*. 2019;36(S 02):S120-S125. doi:10.1055/s-0039-1691807
- Martin A, Ghadge A, Manzoni P, et al. Protocol for the Lactoferrin Infant Feeding Trial (**LIFT**): a randomised trial of adding lactoferrin to the feeds of very-low birthweight babies prior to hospital discharge. *BMJ Open*. 2018;8(10):e023044. doi:10.1136/bmjopen-2018-023044
- Ochoa TJ, Mendoza K, Carcamo C, et al. Is Mother's Own Milk Lactoferrin Intake Associated with Reduced Neonatal Sepsis, Necrotizing Enterocolitis, and Death? *Neonatology*. 2020;117(2):167-174. doi:10.1159/000505663
- Pammi M, Abrams SA. Enteral lactoferrin for the treatment of sepsis and necrotizing enterocolitis in neonates. *Cochrane Database Syst Rev*. 2019;5(5):CD007138. doi:10.1002/14651858.CD007138.pub4. PMID: 31077334; PMCID: PMC6511233.
- Peroni DG, Fanos V. Lactoferrin is an important factor when breastfeeding and COVID-19 are considered. *Acta Paediatr*. 2020;10.1111/apa.15417. doi:10.1111/apa.15417
- Trend S, Strunk T, Hibbert J, et al. Antimicrobial protein and Peptide concentrations and activity in human breast milk consumed by preterm infants at risk of late-onset neonatal sepsis. *PLoS One*. 2015;10(2):e0117038. doi:10.1371/journal.pone.0117038